

Lowell Regional Wastewater 451 First Street Boulevard Lowell, MA 01854 Attn: Tom Kawa

8/10/2018

Dear Mr. Kawa,

Enclosed please find the toxicological evaluation and chemical analyses report for the effluent received on July 18, 2018. This is your 2018 Stormwater bioassay report. Please call me at (401) 353-3420 if you have any questions.

Sincerely,

Michael McCallum Technical Laboratory Director

NEW ENGLAND TESTING LABORATORY, INC.


59 Greenhill St., West Warwick, RI 02893 (401) 353-3420 TOXICOLOGICAL EVALUATION AND CHEMICAL ANALYSES OF EFFLUENT: NPDES Permit # MA0100633 Stormwater 2018 Sample

> Prepared For: Lowell Regional Wastewater 451 First Street Boulevard Lowell, MA 01854

> > August 10, 2018

By New England Testing Laboratory, Inc. 59 Greenhill Street West Warwick, RI 02893

NETLAB CASE NUMBER: 8G18004



GEOTECHNICAL

ENVIRONMENTAL

ECOLOGICAL

MALE STORM

CONSTRUCTION MANAGEMENT

77 Batson Drive Manchester, CT 0604: T. 860,643.9560 F: 860,646.7169



ACUTE AQUATIC TOXICITY TEST REPORT

Lowell Regional Wastewater Utilities Lowell, Massachusetts NPDES Permit: MA0100633

| Test Start Date: | 7/18/18 | _ |
|------------------|-----------|---|
| Test Period: | July 2018 | |

Report Prepared by:

New England Bioassay
A Division of GZA GeoEnvironmental, Inc.
77 Batson Drive
Manchester, CT 06042

NEB Project Number: 05.0044476.00

Report Date: August 8, 2018

Report Submitted to:

New England Testing Laboratories 59 Greenhill Street West Warwick, RI02893

Sample ID: Stormwater

This report shall not be reproduced, except in its entirety, without written approval of New England Bioassay (NEB). NEB is the sole authority for authorizing edits or modifications to the data contained in this report. Test results relate only to samples analyzed. Please contact the Lab Manager, Kimberly Wills, at 860-858-3153 or kimberly.wills@gza.com if you have any questions concerning these results.

Whole Effluent Toxicity Testing Report Instruction Form

| Client Name/Project: NET/Lowell | Test Date: | 7/18/18 |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Sample ID: Semi-annual Stormwater | | |
| Your results were as follows: | | |
| Pass | | |
| $\hfill\Box$ Fail – Please proceed according to the instructions in | n your permit. | |
| □ Invalid – Retesting is still required. Retest report | will be sent at | a later date under separate cover. |
| □ Original Test Invalid - Valid retest performed. Bo | oth test and rete | est results are attached. |
| □ Retesting will be or has been performed according of EPA-New England's species-specific, self-impler | | |
| This is your case of dilution water to Protocols outlined in the attached copy of EPA-policy for alternate dilution water. The alternate dil should be described as follows: "synthetic laborat protocols, by adding specified amounts of salts into receiving water." Writing this letter should help you | New England's lution water you tory water made deionized water | s species-specific, self-implementing select for future tests for this species up according to EPA's toxicity test in order to match the hardness of our |
| ☐ Available information is insufficient to determine who to your permit limits. Please submit a current copy of the status of future tests results and help ensure your content. | f your permit to | the NEB Lab so that we can determine |

Please complete the items on this list before reporting these results according to the instructions in the "Monitoring and Reporting" Section of your permit.

- Please complete, sign and date the upper portion of the "Whole Effluent Toxicity Test Report Certification" page which is the page directly following this page.
- Fill in the Sample Type and Sample Method (upper right) and the Permit Limits (lower left) on the New England Bioassay, Inc.-EPA Toxicity Test Summary Sheet(s) if they are incomplete.
- Fill in any missing information on the NEB Chain-of-Custody documents. This includes ensuring
 that the following information is recorded: Sampler's name and title, Facility name and address,
 Sample collection methods, Sample collection start and end dates and times, Types of sample,
 Chlorination status of samples upon shipment to NEB, Site description and Sample collection
 procedures.
- Monitoring results should be summarized on your monthly Discharge Monitoring Report Form.
- Signed and dated originals of this report must be submitted to the State (and Federal) Agencies specified in the "Monitoring and Reporting" section of your permit.

Questions? Please contact the Lab Manager, Kim Wills, at (860) 643-9560 or kimberly.wills@gza.com.

WHOLE EFFLUENT TOXICITY TEST REPORT CERTIFICATION (Permittee)

I certify under penalty of law that this document and all ATTACHMENTS were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

| Executed on | | |
|-------------|--------|--------------------------------------|
| | [Date] | [Authorized Signature] |
| | | [Print or Type Name and Title] |
| | | [Print or Type the Permittee's Name] |
| | | [Print or Type the NPDES Permit No.] |

Since the WET test and report check is complicated, the New England Bioassay Aquatic Toxicity Laboratory has certified the validity of the WET test data in the section below. Please note that this does not relieve the permittee from its responsibility to sign and certify the report under 40 C.F.R. S 122.41(k).

WHOLE EFFLUENT TOXICITY TEST REPORT CERTIFICATION (Bioassay Laboratory)

I certify under penalty of law that this document and all ATTACHMENTS were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on

[Authorized Signature]

Kim Wills, Laboratory Manager
[Print or Type Name and Title]

New England Bioassay

[Print or Type Name of Bioassay Laboratory]

24. Telephone Contacts

If you have questions, please contact Joy Hilton, Water Technical Unit, at (617) 918-1877 or David McDonald, Ecosystem Assessment Unit, at (617) 918-8609.

NEW ENGLAND BIOASSAY, A DIVISION OF GZA EPA TEST SUMMARY SHEET

| Facility Name: Lowel | l RWWU | | _ Test Start Date: | 7/18/18 |
|--------------------------|---------------------|-----------------------------------------------------------------------------|----------------------------|--------------------|
| NPDES Permit Numbe | r: MA010 | 0633 | Outfall Number: | |
| | No. 227 1390 | S | M 32=0 | |
| Test Type | Test Species | | nple Type | Sample Method |
| XAcute | _ Fathead Minn | | rechlorinated | XGrab |
| Chronic | XCeriodaphnia | | echlorinated | _ Composite |
| _ Modified | _ Daphnia Pule: | x _ C | hlorine Spiked in Lab | _ Flowthru |
| (chronic reporting | Mysid Shrimp | \sim C | hlorinated on site | Other |
| acute values) | Sheepshead | | nchlorinated | |
| 24hr screening | Menidia | | | |
| 6 | Sea Urchin | | | |
| | Champia | | | |
| | _ Selenastrum | | | |
| Dilution Water | Selenastrum | | | |
| | ected at a point ur | stream of or aw | yay from the discharge, | free from toxicity |
| | s of contamination | | | nee from tometry |
| | | | ess, etc. to generally ref | lect the |
| | | | water name: | |
| | | | Q or equivalent deioniz | |
| | | | nbined with mineral wa | iter; |
| or artificial sea salts | mixed with deion | ized water; | | |
| _ deionized water and | hypersaline brine | ; or | | |
| _ other | | _ | | |
| | | | | |
| Effluent sampling date | (s): 7/17/18 | _ | | |
| Effluent concentrations | tastad (in0/) | 0 625 125 2 | 5 50 100 | |
| Effluent concentrations | , , | $\frac{0}{5}$ $\frac{6.25}{10.096}$ $\frac{12.5}{2.096}$ $\frac{2}{10.096}$ | 3 30 100 | |
| * Permit limit of | concentration: | ≥ 100% | | |
| Was effluent salinity ac | liusted? No | If ves, to what | value? N/A ppt | |
| With sea salts? N/A | * | - | | |
| Actual effluent concent | | | | .5 25 50 100 |
| | | | | |
| Reference Toxicant test | t date: 7/11/18 | | | |
| | Test | Acceptability C | 'riteria | |
| | rest | Acceptability C | ritoria | |
| Mean Control Survival | : N/A | Mean (| Control Reproduction: | N/A |
| Mean Diluent Survival: | : 90% | Mean l | Diluent Reproduction: | N/A |
| Mean Control Weight: | N/A | Mean (| Control Cell Count: | N/A |
| Mean Diluent Weight: | | | Diluent Cell Count: | |
| | | - | | |
| <u>Limits</u> | | | Results | |
| LC50 $\geq 100\%$ | ó | LC50 | >100% | |
| | | Upper Value | ±∞ | |
| | | Lower Value | 100% | |
| | | Data Analysis | | |
| | | Method Used | Graphical | (); |
| A-NOEC N/A | | A-NOEC | 100% | |
| C-NOEC N/A | | C-NOEC | аппанан. | ; |
| | | LOEC | | |
| IC25 N/A | | IC25 | | |
| IC50 <u>N/A</u> | | IC50 | | |
| | | | | |

CERIODAPHNIA DUBIA AQUATIC TOXICITY TEST REPORT

Test Reference Manual: EPA 821-R-02-012, "Methods for Measuring the Acute Toxicity of

Effluents and Receiving Waters to Freshwater Organisms and

Marine Organisms", Fifth Edition

Test Method: Ceriodaphnia dubia Acute Toxicity Test – Method 2002.0

Test Type: Acute Static Non-Renewal Freshwater Test

Temperature: $25 \pm 1^{\circ}$ C

<u>Light Quality</u>: Ambient Laboratory Illumination

Photoperiod: 16 hours light, 8 hours dark

Test Chamber Size: 30 mL

Test Solution Volume: Minimum 25 mL

Age of Test Organisms: 1-24 hours (neonates)

Number of Daphnids

Per Test Chamber: 5

Number of Replicate Test

Chambers Per Treatment: 4

Total Number of Daphnids

Per Test Concentration: 20

Feeding Regime: Fed YCT and *Selenastrum* while holding prior to initiating test as

per manual.

Aeration: None

Dilution Water: NEB Lab Synthetic Soft Water (hardness 40 to 48 mg/L)

Effluent Concentrations: 0%, 6.25%, 12.5%, 25%, 50% and 100% effluent

Test Duration: 48 hours

Effect measured: Mortality – no movement of body/appendages on gentle prodding.

<u>Test Acceptability:</u> $\geq 90\%$ survival of test organisms in control solution Yes X No_

Sampling Requirements: Samples first used within 36 hours of collection Yes X No

Sample Volume Required: Minimum 1 liter

Test Organism Source: NEB

<u>Test Acceptability Criteria</u>: Mean Alternate Water Control Survival = <u>N/A</u>

Mean Dilution Water Control Survival = 90%

| Test Results: | | <u>Limits</u> | Results | Status |
|------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|------------------------|-------------------------------------------------------------------------------------------------|----------------------|
| | 48-hour LC50 Upper Value Lower Value Data Analysis Method Use A-NOEC | ≥ 100% ed | $\begin{array}{c} >100\% \\ \pm \infty \\ \hline 100\% \\ \hline Graphics \\ 100\% \end{array}$ | Pass <u>X</u> Fail _ |
| Reference Toxicant Data: | Date: Toxicant: Dilution Water: Source: 48-hour LC50: In Acceptable Range | Sodiu NEB New 1. | m Chloride Lab Synthetic England Bioas 74 g/L X No | say |
| Dechlorination Procedures | : Chlorine is measured usin | ng 4500 CL- | G DPD Color | imetric Method. |
| X Dechlorination was not red | quired | | | |
| Sample was dechlorinated be Since dechlorination of the ewith sodium thiosulfate was dechlorinated sample. | ffluent was necessary, a thi | osulfate con | trol of diluent | water spiked |
| Chlorine Measurement was filtered sample. | elevated due to interference | e. Chlorine | was | mg/L in a |
| Total Residual Chlorine wa | s re-measured following ae | ration, and v | was found to b | e mg/L. |
| Additional Notes or Other | Conditions Affecting the | <u>Γest</u> : | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | - |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

NEW ENGLAND BIOASSAY ACUTE TOXICITY DATA FORM COVER SHEET FOR LC50 TESTS

| | COVER | Concertone | COU ILDIO | |
|------------------|--------------------------------|--------------------|---------------------------------|-----------------------------------|
| CLIENT: | New England Testing Laboratory | | C.dubia TEST ID# | 18-1044 |
| ADDRESS: | 59 Greenhill Street | | COC# | C38-2819 |
| | West Warwick, RI 02893 | | PROJECT # | 05.0044476.00 |
| SAMPLE TYPE: | Lowell RWU Stormwater | | | |
| DILUTION WATER: | Soft Reconstituted Freshwater | | | |
| Sample Date(s): | 7/17/18 | Date Received: | 7/1: | 8/18 |
| | <u>IN</u> | NVERTEBRATES | | |
| | TEST SET UP (TECH INIT) | PD | | |
| | - | Ceriodaphnia dubia | | |
| | NEB LOT# | Cd18(7-18) | | |
| | AGE | < 24 hours | | |
| | TEST SOLUTION VOLUME (mls) | 30 | | |
| | GANISMS PER TEST CHAMBER | 5 | | |
| | ANISMS PER CONCENTRATION | 20 | | |
| | NO. ORGANISMS PER CONTROL | 20 | | |
| | | | | |
| LABORATORY CONTR | ROL WATER: | | Hardness mg/L CaCO ₃ | Alkalinity mg/L CaCO ₃ |
| ARTIFICIA | Г | C38-S015 | 48 | 35 |
| | г | DATE | TIME | ı |
| | TEST START: | 7/18/18 | 1600 | |
| | TEST END: | 7/20/18 | 1543 | |
| | RESULTS OF C | Ceriodaphnia dubia | LC50 TEST | |
| | METHOD | LC50 (%) | 95% Confidence Limits | |
| | BINOMIAL/GRAPHICAL | >100% | 100%±∞ | |
| | PROBIT | | | |
| | SPEARMAN KARBER | | | |
| | NOAEL | 100% | | |
| | | 10070 | | ı |
| NOEC: NO OBSERVA | ABLE EFFECT CONCENTRATION | ON | | |
| Comments: | | | | |
| = | | -// | | |
| - | \sim | -// | | 10/10 |
| REVIEWD BY: | | 1115 | DATE: | 8/8/18 |
| | | | | 1 1 |

NEW ENGLAND BIOASSAY Toxicity Test Data Sheet

| NEB Test #: | 18-1044 | Test Organism: Ceriod | | laphnia dubia | |
|----------------|-----------------------|----------------------------|------------|---------------|-------------------|
| Project #: | 05.0044476.00 | Organism Age: | < 24 hours | | |
| Facility Name: | Lowell RWU Stormwater | Test Duration: | 48 | (hours) | |
| Date Sampled: | 7/17/18 | Beginning Date: | 7/18/18 | Time: | 1600 |
| Date Received: | 7/18/18 | Dilution Water Source: SRC | | SRCF | |
| Sample ID: | Stormwater | Dilution Hardness: | 48 | ppm as | CaCO ₃ |

| Effluent Conc. % | Number of Surviving Organisms | | | Dissolved Oxygen (mg/L) | | Te | emperatu (°C) | ire | | рН | | |
|------------------------|-------------------------------------|----|----|-------------------------------|-----|-----|------------------|------|------|-----|-----|-----|
| Initials | PD | DD | DD | PD | DD | DD | PD | DD | DD | PD | DD | DD |
| | 0 | 24 | 48 | 0 | 24 | 48 | 0 | 24 | 48 | 0 | 24 | 48 |
| Diluent A | 5 | 5 | 5 | 8.1 | 8.1 | 7.9 | 25.7 | 25.4 | 26.0 | 7.4 | 7.6 | 7.5 |
| Diluent B | 5 | 5 | 4 | | | 8.0 | | | 26.0 | | | 7.5 |
| Diluent C | 5 | 5 | 4 | | | 8.0 | | | 26.0 | | | 7.5 |
| Diluent D | 5 | 5 | 5 | | | 8.1 | | | 26.0 | | | 7.5 |
| 6.25 A | 5 | 5 | 5 | 8.1 | 8.1 | 8.0 | 25.8 | 25.1 | 26.0 | 7.3 | 7.5 | 7.4 |
| 6.25 B | 5 | 5 | 5 | | | 8.0 | | | 26.0 | | | 7.4 |
| 6.25 C | 5 | 5 | 5 | | | 8.0 | | | 26.0 | | | 7.5 |
| 6.25 D | 5 | 5 | 5 | | | 8.1 | | | 26.0 | | | 7.5 |
| 12.5 A | 5 | 5 | 5 | 8.1 | 7.6 | 8.0 | 25.8 | 25.6 | 26.0 | 7.3 | 7.5 | 7.4 |
| 12.5 B | 5 | 5 | 5 | | | 7.8 | | | 26.0 | | | 7.4 |
| 12.5 C | 5 | 5 | 5 | | | 7.9 | | | 26.0 | | | 7.5 |
| 12.5 D | 5 | 5 | 5 | | | 7.9 | | | 26.0 | | | 7.5 |
| 25 A | 5 | 5 | 5 | 8.3 | 7.4 | 7.9 | 25.8 | 25.4 | 26.0 | 7.2 | 7.5 | 7.4 |
| 25 B | 5 | 5 | 5 | | | 7.6 | | | 26.0 | | | 7.5 |
| 25 C | 5 | 5 | 5 | | | 7.7 | | | 26.0 | | | 7.5 |
| 25 D | 5 | 5 | 5 | | | 7.7 | | | 26.0 | | | 7.5 |
| 50 A | 5 | 5 | 5 | 8.5 | 6.1 | 7.7 | 25.9 | 25.8 | 26.0 | 7.1 | 7.5 | 7.5 |
| 50 B | 5 | 5 | 5 | | | 7.1 | | | 26.0 | | | 7.5 |
| 50 C | 5 | 5 | 5 | | | 7.1 | | | 26.0 | | | 7.5 |
| 50 D | 5 | 5 | 5 | | | 7.1 | | | 26.0 | | | 7.5 |

| LC50 | Confidence Interval | A-NOEC | Computational Method | | |
|-------|---------------------|--------|----------------------|--|--|
| >100% | 100%±∞ | 100% | Graphical | | |

NEW ENGLAND BIOASSAY Toxicity Test Data Sheet

| NEB Test #: | 18-1044 | Test Organism: | Ceriodaphnia dub | | 3 |
|----------------|-----------------------|---------------------------|------------------|----------|-------------------|
| Project #: | 05.0044476.00 | Organism Age: | < | 24 hours | |
| Facility Name: | Lowell RWU Stormwater | Test Duration: | 48 | (hours) | |
| Date Sampled: | 7/17/18 | Beginning Date: | 7/18/18 | Time: | 1600 |
| Date Received: | 7/18/18 | Dilution Water Source: SR | | SRCF | |
| Sample ID: | Stormwater | Dilution Hardness: | 48 | ppm as (| CaCO ₃ |

| Effluent Conc. % | , | lumber o Surviving Organism | 9 | | Dissolved Oxygen (mg/L) | | Тє | emperatu (°C) | ire | | рН | |
|------------------------|----|-----------------------------------|----|-----|-------------------------------|-----|------|------------------|------|-----|-----|-----|
| Initials | PD | DD | DD | PD | DD | DD | PD | DD | DD | PD | DD | DD |
| | 0 | 24 | 48 | 0 | 24 | 48 | 0 | 24 | 48 | 0 | 24 | 48 |
| 100 A | 5 | 5 | 5 | 8.9 | 4.5 | 6.8 | 26.0 | 25.8 | 26.0 | 7.0 | 7.5 | 7.5 |
| 100 B | 5 | 5 | 5 | | | 6.3 | | | 26.0 | | | 7.6 |
| 100 C | 5 | 5 | 5 | | | 6.3 | | | 26.0 | | | 7.6 |
| 100 D | 5 | 5 | 5 | | | 6.2 | | | 26.0 | | | 7.6 |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

| LC50 | Confidence Interval | A-NOEC | Computational Method |
|-------|---------------------|--------|----------------------|
| >100% | 100%±∞ | 100% | Graphical |

Report Date: Test Code/ID: 02 Aug-18 14:26 (p 1 of 2) 18-1044 / 20-4873-4077

| | | | | | | | 163 | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------|-----------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------|----------------|--------------------|----------------|------------------|------------|
| Ceriodaphnia | a 48-h Acute Sun | vival Test | | | | | | | 1 | New England | d Bioassay |
| Analysis ID: | 14-0619-2526 | | point: | 48h Survival Ra | ate | | CE | TIS Version: | CETISV | 1.9.4 | |
| Analyzed: | 02 Aug-18 14:25 | 5 Anal | ysis: | Linear Interpola | tion (ICPIN |) | Sta | tus Level: | 1 | | |
| Batch ID: | 03-2099-5807 | Test | Type: | Survival (48h) | | | Ana | alyst: | | | |
| Start Date: | 18 Jul-18 16:00 | Prot | ocol: | EPA/821/R-02- | 012 (2002) | | Dile | uent: Lab | oratory Wa | ater | |
| Ending Date: | 20 Jul-18 15:43 | Spe | cies: | Ceriodaphnia d | ubia | | Bri | ne: | | | |
| Test Length: | 48h | Taxo | n: | Branchiopoda | | | So | urce: In-H | louse Cultu | ıre | Age: <24 |
| Sample ID: | 10-6117-4001 | Cod | ə: | 3F403AF1 | | | Pro | ject: | | | |
| - | : 17 Jul-18 15:00 | Mate | rial: | stormwater | | | So | urce: Low | eli RWWU | J (MA010063 | 3) |
| - | : 18 Jul-18 14:45 | | (PC): | | | | Sta | tion: | | | |
| Sample Age: | 25h | Clie | nt: | New England T | esting Labs | | | | | | |
| Linear Interp | olation Options | | | | | | | | | | |
| X Transform | Y Transform | | | Resamples | Exp 95% | | hod | | | | |
| Log(X) | Linear | 1798 | 581 | 200 | Yes | Two | -Point Inter | polation | | | |
| Test Accepta | bility Criteria | TAC L | mits | | | | | | | | |
| Attribute | Test Stat | Lower | Upper | Overlap | Decision | | | | | | |
| Control Resp | 0.9 | 0.9 | >> | Yes | Passes C | riteria | | | | | |
| Point Estima | tes | | | | | | | | | | |
| Level % | 95% LCL | 95% UCL | TU | 95% LCL | 95% UCL | | | | | | |
| LC50 >100 |) n/a | n/a | <1 | n/a | n/a | | | | | | |
| 48h Survival | Rate Summary | | | | Calcu | lated Vari | ate(A/B) | | | Isoton | ic Variate |
| Conc-% | Code | Count | Mean | Min | Max | Std Dev | CV% | %Effect | A/B | Mean | %Effect |
| 0 | D | 4 | 0.9000 | | 1.0000 | 0.1155 | 12.83% | 0.0% | 18/20 | 0,9833 | 0.0% |
| 6.25 | | 4 | 1,0000 | 1.0000 | 1.0000 | 0.0000 | 0.00% | -11,11% | 20/20 | 0.9833 | 0.0% |
| | | | | | | | | | | | 0,0% |
| | | 4 | 1.0000 | 1.0000 | 1.0000 | 0.0000 | 0.00% | -11.11% | 20/20 | 0.9833 | |
| | | 4 | 1.0000 | 1.0000 1.0000 | 1.0000 | 0.0000 0.0000 | 0.00% | -11.11% | 20/20 | 0.9833 | 0.0% |
| 25 50 | | 4 4 4 | 1.0000 | 1.0000 1.0000 1.0000 | 1.0000 1.0000 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 | | 4 | 1.0000 | 1.0000 1.0000 1.0000 | 1.0000 | 0.0000 0.0000 | 0.00% | -11.11% | 20/20 | 0.9833 | |
| 25 50 100 | Rate Detail | 4 4 4 | 1.0000 | 1.0000 1.0000 1.0000 | 1.0000 1.0000 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc -% | Code | 4 4 4 4 Rep 1 | 1.0000 1.0000 1.0000 | 1.0000 1.0000 1.0000 1.0000 Rep 3 | 1.0000 1.0000 1.0000 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% | | 4 4 4 4 Rep 1 | 1.0000 1.0000 1.0000 Rep 2 | 1.0000 1.0000 1.0000 1.0000 Rep 3 | 1.0000 1.0000 1.0000 Rep 4 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 | Code | 4 4 4 4 Rep 1 1.0000 1.0000 | 1.0000 1.0000 1.0000 Rep 2 0.8000 1.0000 | 1.0000 1.0000 1.0000 1.0000 Rep 3 0 0.8000 1.0000 | 1.0000 1.0000 1.0000 Rep 4 1.0000 1.0000 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12,5 | Code | 4 4 4 4 1.0000 1.0000 1.0000 | 1.0000 1.0000 1.0000 Rep 2 0.8000 1.0000 | 1.0000 1.0000 1.0000 1.0000 Rep 3 0 0.8000 0 1.0000 | 1.0000 1.0000 1.0000 Rep 4 1.0000 1.0000 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12,5 25 | Code | Rep 1 1.0000 1.0000 1.0000 1.0000 | 1.0000 1.0000 1.0000 Rep 2 0.8000 1.0000 1.0000 | Rep 3 0 0.8000 0 1.0000 0 1.0000 | 1,0000 1,0000 1,0000 Rep 4 1,0000 1,0000 1,0000 1,0000 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12.5 25 50 | Code | Rep 1 1.0000 1.0000 1.0000 1.0000 1.0000 | 1.0000 1.0000 1.0000 Rep 2 0.8000 1.0000 1.0000 1.0000 | Rep 3 0 0.8000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 | 1.0000 1.0000 1.0000 Rep 4 1.0000 1.0000 1.0000 1.0000 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12.5 25 | Code | Rep 1 1.0000 1.0000 1.0000 1.0000 | 1.0000 1.0000 1.0000 Rep 2 0.8000 1.0000 1.0000 | Rep 3 0 0.8000 0 1.0000 0 1.0000 0 1.0000 0 1.0000 0 1.0000 0 1.0000 0 1.0000 0 1.0000 | 1,0000 1,0000 1,0000 Rep 4 1,0000 1,0000 1,0000 1,0000 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12.5 25 50 100 | Code | Rep 1 1.0000 1.0000 1.0000 1.0000 1.0000 | 1.0000 1.0000 1.0000 Rep 2 0.8000 1.0000 1.0000 1.0000 | Rep 3 0 0.8000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 | 1.0000 1.0000 1.0000 Rep 4 1.0000 1.0000 1.0000 1.0000 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12.5 25 50 100 48h Survival Conc-% | Code D Rate Binomials Code | Rep 1 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 Rep 1 | 1.0000 1.0000 1.0000 0.8000 1.0000 1.0000 1.0000 Rep 2 | Rep 3 0.8000 1.0000 Rep 3 0.8000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 Rep 3 | 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12.5 25 50 100 48h Survival Conc-% 0 | Code D | Rep 1 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 | 1,0000 1,0000 1,0000 1,0000 1,0000 1,0000 1,0000 Rep 2 | Rep 3 0 0.8000 1.0000 1.0000 Rep 3 0 0.8000 1.0000 1.0000 1.0000 1.0000 Rep 3 4/5 | 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 Rep 4 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12.5 25 50 100 48h Survival Conc-% 0 6.25 | Code D Rate Binomials Code | Rep 1 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 Rep 1 5/5 5/5 | 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 8ep 2 | Rep 3 0 1.0000 1.0000 1.0000 1.0000 Rep 3 0 0.8000 1.0000 1.0000 1.0000 1.0000 Rep 3 4/5 5/5 | 1.0000 1.0000 1.0000 Rep 4 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 8ep 4 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12.5 25 50 100 48h Survival Conc-% 0 6.25 12.5 | Code D Rate Binomials Code | Rep 1 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.5/5 5/5 5/5 | 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 8ep 2 4/5 5/5 | Rep 3 0 | 1.0000 1.0000 1.0000 Rep 4 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 8ep 4 5/5 5/5 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12.5 25 50 100 48h Survival Conc-% 0 6.25 12.5 | Code D Rate Binomials Code | Rep 1 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 Rep 1 5/5 5/5 | 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 8ep 2 | Rep 3 0 1.0000 1.0000 1.0000 1.0000 Rep 3 0 0.8000 1.0000 1.0000 1.0000 1.0000 Rep 3 4/5 5/5 | 1.0000 1.0000 1.0000 Rep 4 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 8ep 4 5/5 5/5 5/5 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |
| 25 50 100 48h Survival Conc-% 0 6.25 12,5 25 50 100 48h Survival Conc-% | Code D Rate Binomials Code | Rep 1 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.5/5 5/5 5/5 | 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 8ep 2 4/5 5/5 | Rep 3 0 | 1.0000 1.0000 1.0000 Rep 4 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 8ep 4 5/5 5/5 | 0.0000 0.0000 0.0000 | 0.00% 0.00% | -11.11% -11.11% | 20/20 20/20 | 0.9833 0.9833 | 0.0% |

002-997-881-4 CETIS™ v1.9,4,1 Analyst:_____ QA:____

CETIS Analytical Report

Report Date: Test Code/ID: 02 Aug-18 14:26 (p 2 of 2) 18-1044 / 20-4873-4077

Ceriodaphnia 48-h Acute Survival Test

New England Bioassay


Analysis ID: Analyzed:

14-0619-2526 02 Aug-18 14:25 **Endpoint:** 48h Survival Rate **Analysis:** Linear Interpolation (ICPIN)

CETIS Version: CETISv1.9.4

Status Level: 1

Graphics



CETIS Analytical Report

Report Date: Test Code/ID: 02 Aug-18 14:26 (p 1 of 2) 18-1044 / 20-4873-4077

| Ceriodaphnia | | | | | | | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------|------------------------------------------------------------------|-------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------|-------------------------------------------------------------------|---------------------------------------------------------------------|
| | 48-h Ac | ute Surv | ival Test | t | | | | | | N | ew Englan | d Bioassa |
| Analysis ID: | 19-4607 | '-8808 | Eı | ndpoint: | 48h Surviva | | | CET | IS Version: | CETISv1 | .9.4 | |
| Analyzed: | 02 Aug- | 18 14:25 | Aı | nalysis: | Parametric- | Control vs Tr | eatments | Stat | us Level: | 1 | | |
| Batch ID: | 03-2099 | -5807 | Te | est Type: | Survival (48 | h) | | Ana | lyst: | | | |
| Start Date: | 18 Jul-1 | 8 16:00 | Pi | rotocol: | EPA/821/R- | 02-012 (2002 | 2) | Dilu | ent: Lab | oratory Wat | er | |
| Ending Date: | 20 Jul-1 | 8 15:43 | S | pecies: | Ceriodaphn | ia dubia | | Brin | e: | | | |
| Test Length: | 48h | | Ta | axon: | Branchiopo | da | | Sou | rce: In-l | House Cultur | re | Age: <2 |
| Sample ID: | 10-6117 | '-4001 | C | ode: | 3F403AF1 | | | Proj | ect: | | | |
| Sample Date: | 17 Jul-1 | 8 15:00 | M | aterial: | stormwater | | | Sou | rce: Lov | vell RWWU | (MA010063 | 3) |
| Receipt Date: | 18 Jul-1 | 8 14:45 | C | AS (PC): | | | | Stat | ion: | | | |
| Sample Age: | 25h | | CI | ient: | New Englar | d Testing La | bs | | | | | |
| Data Transfor | m | | Alt Hyp |) | | | | NOEL | LOEL | TOEL | TU | PMSD |
| Angular (Corre | ected) | | C > T | | | | | 100 | >100 | n/a | 1 | 9.06% |
| Dunnett Multi | ple Com | parison | Test | | | | | | | | | |
| Control | vs C | onc-% | | Test S | Stat Critica | I MSD | DF P-Type | P-Value | Decision | (a:5%) | | |
| Dilution Water | 6 | .25 | | -3 | 2.407 | 0.096 | 6 CDF | 1,0000 | Non-Sign | ificant Effect | t | |
| | 1 | 2.5 | | -3 | 2.407 | 0.096 | 6 CDF | 1,0000 | • | ificant Effect | | |
| | 2 | 5 | | -3 | 2.407 | 0.096 | 6 CDF | 1.0000 | Non-Sign | ificant Effect | t | |
| | 5 | 0 | | -3 | 2.407 | 0.096 | 6 CDF | 1,0000 | - | ificant Effect | | |
| | 1 | 00 | | -3 | 2.407 | 0.096 | 6 CDF | 1.0000 | Non-Sign | ificant Effect | t | |
| Test Acceptal | oility Cri | teria | TAC | Limits | | | | | | | | |
| Attribute | Te | est Stat | Lower | Upper | r Overla | p Decisio | n | | | | | |
| Control Resp | 0. | 9 | 0.9 | >> | Yes | Passes | Criteria | | | | | |
| ANOVA Table | | | | | | | | | | | | |
| 0 | | | | | | | | | | | | |
| Source | Sı | um Squa | res | Mean | Square | DF | F Stat | P-Value | Decision | (a:5%) | | |
| | | u <mark>m Squa</mark> 0472566 | res | Mean 0.0094 | Square 4513 | DF 5 | F Stat | P-Value 0.0384 | Decision Significar | <u> </u> | | |
| Between | 0. | <u>-</u> | res | | 4513 | | | | | <u> </u> | | |
| Between Error | 0. 0. | 0472566 | res | 0.0094 | 4513 | 5 | | | | <u> </u> | | |
| Between Error Total | 0. 0. 0. | 0472566 0567079 | res | 0.0094 | 4513 | 5 18 | | | | <u> </u> | | |
| Between Error Total Distributional | 0. 0. 1 Tests | 0472566 0567079 | res | 0.0094 | 4513 | 5 18 23 | | | | nt Effect | | |
| Between Error Total Distributional Attribute | 0. 0. 0. Tests | 0472566 0567079 103964 | | 0.0094 | 4513 1504 | 5 18 23 | 3 | 0.0384 | Significar Decision | nt Effect | ion | |
| Between Error Total Distributional Attribute Distribution | 0. 0. Tests | 0472566 0567079 103964 est | | 0.009 0.003 | 4513 1504 | 5 18 23 Test St | 3 ——a | 0.0384 P-Value | Significar Decision | nt Effect (α:1%) | ion | |
| Between Error Fotal Distributional Attribute Distribution 48h Survival I | 0. 0. Tests Tests St | 0472566 0567079 103964 est | | 0.009 0.003 | 4513 1504 st | 5 18 23 Test St 0.5784 | 3 | 0.0384 P-Value | Significar Decision | nt Effect (α:1%) | ion | %Effect |
| Between Error Total Distributional Attribute Distribution 48h Survival I Conc-% | 0. 0. Tests Tests St | 0472566 0567079 103964 est napiro-Wi | ik W Noi | 0.009 0.003 | 4513 1504 st 95% L | 5 18 23 Test St 0.5784 | 3 | 0.0384 P-Value 3.6E-07 | Significar Decision Non-Norr | nt Effect (α:1%) nal Distributi | | %Effect 0.00% |
| Between Error Fotal Distributional Attribute Distribution 48h Survival I Conc-% | 0. 0. Tests Tests State Sur | 0472566 0567079 103964 est napiro-Wi | ik W Noi | 0.009 0.003 mality Tes | 4513 1504 st 95% L 0 0.7163 | 5 18 23 Test St 0.5784 CL 95% U C | at Critical 0.884 | 0.0384 P-Value 3.6E-07 | Significar Decision Non-Norr | nt Effect (α:1%) mal Distributi | CV% | 0.00% |
| Between Error Fotal Distributional Attribute Distribution 48h Survival I Conc-% 0 3.25 | 0. 0. Tests Tests State Sur | 0472566 0567079 103964 est napiro-Wi | ik W Nor | 0.009 0.003 mality Tes Mean 0.900 | 4513 1504 st 95% L 0 0.7163 0 1.0000 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 | 3 et Critical | 0.0384 P-Value 3.6E-07 Min 0.8000 | Decision Non-Norr Max 1.0000 | nt Effect (α:1%) mal Distributi Std Err 0.0577 | CV% 12.83% | 0.00% -11.11% |
| Between Error Fotal Distributional Attribute Distribution 48h Survival I Conc-% 0 6.25 | 0. 0. Tests Tests State Sur | 0472566 0567079 103964 est napiro-Wi | Count | 0.009 0.003 mality Tes Mean 0.900 1.000 | 95% L 0 0.7163 0 1.0000 0 1.0000 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 1.0000 | 3 at Critical 0.884 CL Median 0.9000 1.0000 | 0.0384 P-Value 3.6E-07 Min 0.8000 1.0000 | Decision Non-Norr Max 1.0000 1.0000 | nt Effect (α:1%) nal Distributi Std Err 0.0577 0.0000 | CV% 12.83% 0.00% | 0.00% -11.11% -11.11% -11.11% |
| Between Error Fotal Distributional Attribute Distribution 48h Survival I Conc-% 3.25 12.5 | 0. 0. Tests Tests State Sur | 0472566 0567079 103964 est napiro-Wi | Count 4 4 4 | 0.009 0.003 mality Tes Mean 0.900 1.000 1.000 | 95% L 0 0.7163 0 1.0000 0 1.0000 0 1.0000 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 1.0000 1.0000 | 3 at Critical 0.884 CL Median 0.9000 1.0000 1.0000 | P-Value 3.6E-07 Min 0.8000 1.0000 1.0000 | Decision Non-Norr Max 1.0000 1.0000 | nt Effect (α:1%) mal Distributi Std Err 0.0577 0.0000 0.0000 | CV% 12.83% 0.00% 0.00% | 0.00% -11.11% -11.11% -11.11% |
| Between Error Fotal Distributional Attribute Distribution 48h Survival I Conc-% 5.25 12.5 25 | 0. 0. Tests Tests State Sur | 0472566 0567079 103964 est napiro-Wi | Count 4 4 4 4 4 | 0.009- 0.003 mality Tes Mean 0.900 1.000 1.000 | 95% L 0 0.7163 0 1.0000 0 1.0000 0 1.0000 0 1.0000 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 1.0000 1.0000 1.0000 | 3 at Critical 0.884 CL Median 0.9000 1.0000 1.0000 1.0000 | P-Value 3.6E-07 Min 0.8000 1.0000 1.0000 | Decision Non-Norr Max 1.0000 1.0000 1.0000 | std Err 0.0577 0.0000 0.0000 0.0000 | CV% 12.83% 0.00% 0.00% | 0.00% -11.11% -11.11% -11.11% |
| Between Error Fotal Distributional Attribute Distribution 48h Survival I Conc-% 0 6.25 12.5 25 100 | 0. 0. Tests Te Sh Rate Sur Co | 0472566 0567079 103964 est napiro-Wi | Count 4 4 4 4 4 | 0.009- 0.003- mality Tes Mean 0.900- 1.000- 1.000- 1.000- | 95% L 0 0.7163 0 1.0000 0 1.0000 0 1.0000 0 1.0000 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 1.0000 1.0000 1.0000 | 3 at Critical 0.884 CL Median 0.9000 1.0000 1.0000 1.0000 1.0000 | P-Value 3.6E-07 Min 0.8000 1.0000 1.0000 1.0000 1.0000 | Decision Non-Norr Max 1.0000 1.0000 1.0000 1.0000 1.0000 | std Err 0.0577 0.0000 0.0000 0.0000 | CV% 12.83% 0.00% 0.00% 0.00% 0.00% | 0.00% -11.11% -11.11% -11.11% |
| Between Error Fotal Distributional Attribute Distribution 48h Survival I Conc-% 0 3.25 12.5 25 100 Angular (Corr | O. O. Tests Te Sh Rate Sur D | 0472566 0567079 103964 est napiro-Wi | Count 4 4 4 4 4 | 0.009- 0.003- mality Tes Mean 0.900- 1.000- 1.000- 1.000- | 95% L 0 0.7163 0 1.0000 0 1.0000 0 1.0000 0 1.0000 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 | 3 at Critical 0.884 CL Median 0.9000 1.0000 1.0000 1.0000 1.0000 1.0000 | P-Value 3.6E-07 Min 0.8000 1.0000 1.0000 1.0000 1.0000 | Decision Non-Norr Max 1.0000 1.0000 1.0000 1.0000 1.0000 | std Err 0.0577 0.0000 0.0000 0.0000 | CV% 12.83% 0.00% 0.00% 0.00% 0.00% | 0.00% -11.11% -11.11% -11.11% -11.11% |
| Between Error Fotal Distributional Attribute Distribution 48h Survival I Conc-% 0 3.25 12.5 25 50 1000 Angular (Corr | O. O. Tests Te Sh Rate Sur D | 0472566 0567079 103964 est napiro-Wi mmary ode | Count 4 4 4 4 4 4 med Sum | 0.009- 0.003- mality Tes Mean 0.900- 1.000- 1.000- 1.000- 1.000- 1.000- | 95% L 0 0.7163 0 1.0000 0 1.0000 0 1.0000 0 1.0000 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 | 3 at Critical 0.884 CL Median 0.9000 1.0000 1.0000 1.0000 1.0000 1.0000 | 0.0384 P-Value 3.6E-07 Min 0.8000 1.0000 1.0000 1.0000 1.0000 | Decision Non-Norr Max 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 | std Err 0.0577 0.0000 0.0000 0.0000 0.0000 | CV% 12.83% 0.00% 0.00% 0.00% 0.00% 0.00% | 0.00% -11.11% -11.11% -11.11% -11.11% |
| Between Error Total Distributional Attribute Distribution 48h Survival I Conc-% 0 5.25 12.5 25 50 1000 Angular (Corr | O. O. Tests Te Sh Rate Sur Co D | 0472566 0567079 103964 est napiro-Wi mmary ode | Count 4 4 4 4 4 Count | 0.009- 0.003- mality Tes Mean 0.900- 1.000- 1.000- 1.000- 1.000- 1.000- mary | 95% L 0 0.7163 0 1.0000 0 1.0000 0 1.0000 0 1.0000 0 1.0000 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 1.0000 1.0000 1.0000 | 3 at Critical 0.884 CL Median 0.9000 1.0000 1.0000 1.0000 1.0000 1.0000 | 0.0384 P-Value 3.6E-07 Min 0.8000 1.0000 1.0000 1.0000 1.0000 Min | Decision Non-Norr Max 1.0000 1.0000 1.0000 1.0000 1.0000 Max | Std Err 0.0577 0.0000 0.0000 0.0000 0.0000 Std Err | CV% 12.83% 0.00% 0.00% 0.00% 0.00% CV% | 0.00% -11.11% -11.11% -11.11% -11.11% |
| Between Error Fotal Distributional Attribute Distribution 48h Survival I Conc-% 0 3.25 12.5 25 100 Angular (Corr Conc-% 0 3.25 | O. O. Tests Te Sh Rate Sur Co D | 0472566 0567079 103964 est napiro-Wi mmary ode | Count 4 4 4 4 4 Count Count 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | 0.009- 0.003 mality Tes Mean 0.9000 1.0000 1.0000 1.0000 1.0000 1.0000 mary Mean 1.226 | 95% L 0 0.7163 0 1.0000 0 1.0000 0 1.0000 0 1.0000 0 1.0000 0 1.0000 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 | 3 at Critical 0.884 CL Median 0.9000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 | 0.0384 P-Value 3.6E-07 Min 0.8000 1.0000 1.0000 1.0000 1.0000 Min 1,107 | Decision Non-Norr Max 1.0000 1.0000 1.0000 1.0000 1.0000 Max 1.345 | std Err 0.0000 0.0000 0.0000 Std Err 0.06874 | CV% 12.83% 0.00% 0.00% 0.00% 0.00% 0.00% CV% | 0.00% -11.11% -11.11% -11.11% -11.11% -11.11% |
| Between Error Total Distributional Attribute Distribution 48h Survival I Conc-% 0 6.25 12.5 25 50 100 Angular (Corr Conc-% 0 6.25 12.5 | O. O. Tests Te Sh Rate Sur Co D | 0472566 0567079 103964 est napiro-Wi mmary ode | Count 4 4 4 4 4 Count Count 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | 0.009- 0.003 mality Tes Mean 0.9000 1.0000 1.0000 1.0000 1.0000 mary Mean 1.226 1.345 | 95% L 0 0.7163 0 1.0000 0 1.0000 0 1.0000 0 1.0000 0 1.0000 0 1.0000 1.0000 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.445 1.346 | 3 at Critical 0.884 CL Median 0.9000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 | 0.0384 P-Value 3.6E-07 Min 0.8000 1.0000 1.0000 1.0000 1.0000 Min 1.107 1.345 | Decision Non-Norr Max 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 Max 1.345 1.345 | std Err 0.0577 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 | CV% 12.83% 0.00% 0.00% 0.00% 0.00% 0.00% 0.00% | 0.00% -11.11% -11.11% -11.11% -11.11% -11.11% %Effect 0.00% -9.71% |
| Source Between Error Total Distributional Attribute Distribution 48h Survival I Conc-% 0 6.25 12.5 25 50 100 Angular (Corr Conc-% 0 6.25 12.5 25 50 50 6.25 | O. O. Tests Te Sh Rate Sur Co D | 0472566 0567079 103964 est napiro-Wi mmary ode | Count 4 4 4 4 4 Count Count 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 | 0.009- 0.003- mality Tes Mean 0.900- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- 1.000- | 95% L 0 0.7163 0 1.0000 0 1.0000 0 1.0000 0 1.0000 0 1.007 1.345 1.345 | 5 18 23 Test St 0.5784 CL 95% UC 1.0000 1.0000 1.0000 1.0000 1.0000 1.445 1.346 1.346 | 3 at Critical 0.884 CL Median 0.9000 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 1.345 1.345 1.345 | P-Value 3.6E-07 Min 0.8000 1.0000 1.0000 1.0000 1.0000 Min 1.107 1.345 1.345 | Decision Non-Norr Max 1.0000 1.0000 1.0000 1.0000 1.0000 1.0000 Max 1.345 1.345 1.345 | Std Err 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 0.0000 | CV% 12.83% 0.00% 0.00% 0.00% 0.00% 0.00% CV% 11.21% 0.00% 0.00% | 0.00% -11.11% -11.11% -11.11% -11.11% -11.11% %Effect 0.00% -9.71% |

002-997-881-4 CETIS™ v1.9.4.1 Analyst:_____ QA:____

CETIS Analytical Report

Report Date: Test Code/ID:

02 Aug-18 14:26 (p 2 of 2) 18-1044 / 20-4873-4077

Ceriodaphnia 48-h Acute Survival Test New England Bioassay

Analysis ID: 19-4607-8808 Endpoint: 48h Survival Rate CETIS Version: CETISv1.9.4

Analyzed: 02 Aug-18 14:25 Analysis: Parametric-Control vs Treatments Status Level: 1

| | _ | | | | |
|-----|-----|-------|------|--------|--|
| 48h | Sur | vival | Rate | Detail | |

| Conc-% | Code | Rep 1 | Rep 2 | Rep 3 | Rep 4 |
|--------|------|--------|--------|--------|--------|
| 0 | D | 1,0000 | 0.8000 | 0.8000 | 1.0000 |
| 6.25 | | 1.0000 | 1.0000 | 1.0000 | 1.0000 |
| 12.5 | | 1.0000 | 1.0000 | 1,0000 | 1,0000 |
| 25 | | 1.0000 | 1.0000 | 1.0000 | 1.0000 |
| 50 | | 1.0000 | 1.0000 | 1,0000 | 1.0000 |
| 100 | | 1,0000 | 1.0000 | 1,0000 | 1.0000 |


Angular (Corrected) Transformed Detail


| Conc-% | Code | Rep 1 | Rep 2 | Rep 3 | Rep 4 |
|--------|------|-------|-------|-------|-------|
| 0 | D | 1.345 | 1.107 | 1.107 | 1.345 |
| 6.25 | | 1.345 | 1.345 | 1.345 | 1.345 |
| 12.5 | | 1.345 | 1.345 | 1,345 | 1.345 |
| 25 | | 1,345 | 1.345 | 1.345 | 1.345 |
| 50 | | 1.345 | 1.345 | 1.345 | 1.345 |
| 100 | | 1.345 | 1.345 | 1.345 | 1.345 |

48h Survival Rate Binomials

| Conc-% | Code | Rep 1 | Rep 2 | Rep 3 | Rep 4 |
|--------|------|-------|-------|-------|-------|
| 0 | D | 5/5 | 4/5 | 4/5 | 5/5 |
| 6.25 | | 5/5 | 5/5 | 5/5 | 5/5 |
| 12.5 | | 5/5 | 5/5 | 5/5 | 5/5 |
| 25 | | 5/5 | 5/5 | 5/5 | 5/5 |
| 50 | | 5/5 | 5/5 | 5/5 | 5/5 |
| 100 | | 5/5 | 5/5 | 5/5 | 5/5 |

Graphics






INITIAL CHEMISTRY INFORMATION

| CLIENT: | Lowell Stormwater | | |
|-----------|-------------------|---|--|
| PROJECT # | 05.0044476.00 | _ | |

| RECIEPT DATE | 7/18/18 |
|----------------------------|----------|
| SAMPLE | Effluent |
| COC# | C38-2819 |
| Temperature (°C) | 3.6 |
| Dissolved Oxygen (mg/L) | 9.4 |
| pH (standard units) | 7.0 |
| Conductivity (µmhos/cm) | 907 |
| Salinity (ppt) | <1 |
| Hardness (as mg/L CaCO3) | 66 |
| Alkalinity (as mg/L CaCO3) | 95 |
| TRC - DPD (mg/L) | 0.002 |
| INITIALS | MM |

| Additional notes: | | | | | | |
|-------------------|--|--|--|--|--|--|
| | | | | | | |
| | | | | | | |
| | | | | | | |

New England Bioassay
Reference Toxicant Data: Sodium chloride (NaCl) Ceriodaphnia dubia 48-hour LC50



| Test ID | Date | LC ₅₀ | Mean LC₅o | STD | -2 STD | +2 STD | CV | CV National 75th % | CV National 90th % |
|---------|-----------|------------------|-----------|------|--------|--------|------|-----------------------|-----------------------|
| 16-1252 | 9/7/2016 | 1.79 | 1.68 | 0.23 | 1.22 | 2.14 | 0.14 | 0.29 | 0.34 |
| 16-1466 | 10/5/2016 | 1.39 | 1.66 | 0.23 | 1.19 | 2,13 | 0.14 | 0.29 | 0.34 |
| 16-1586 | 11/1/2016 | 1.80 | 1.66 | 0.23 | 1.19 | 2.12 | 0.14 | 0.29 | 0.34 |
| 16-1730 | 12/1/2016 | 1.73 | 1.66 | 0.23 | 1.20 | 2.13 | 0.14 | 0.29 | 0.34 |
| 17-5 | 1/3/2017 | 2.14 | 1.69 | 0.25 | 1:19 | 2.19 | 0.15 | 0.29 | 0.34 |
| 17-147 | 2/1/2017 | 1.97 | 1.71 | 0.25 | 1,21 | 2.21 | 0.15 | 0.29 | 0.34 |
| 17-274 | 3/1/2017 | 1.19 | 1.69 | 0.27 | 1.15 | 2,24 | 0.16 | 0.29 | 0.34 |
| 17-475 | 4/4/2017 | 1.63 | 1.69 | 0.27 | 1.15 | 2.23 | 0.16 | 0.29 | 0.34 |
| 17-695 | 5/10/2017 | 1.32 | 1.69 | 0.28 | 1.13 | 2.24 | 0.16 | 0.29 | 0.34 |
| 17-772 | 6/1/2017 | 1.35 | 1.68 | 0.28 | 1.13 | 2.24 | 0.17 | 0.29 | 0.34 |
| 17-968 | 7/5/2017 | 1.55 | 1.67 | 0.28 | 1.12 | 2.23 | 0.17 | 0.29 | 0.34 |
| 17-1140 | 8/1/2017 | 1,16 | 1.64 | 0.28 | 1.07 | 2.20 | 0.17 | 0.29 | 0.34 |
| 17-1325 | 9/5/2017 | 1.67 | 1.62 | 0.27 | 1.08 | 2.16 | 0.17 | 0.29 | 0.34 |
| 17-1521 | 10/3/2017 | 1.70 | 1.62 | 0.27 | 1.08 | 2.16 | 0.17 | 0.29 | 0.34 |
| 17-1689 | 11/1/2017 | 1.23 | 1.60 | 0.28 | 1,04 | 2.16 | 0.18 | 0.29 | 0.34 |
| 17-1828 | 12/4/2017 | 1.52 | 1.60 | 0.28 | 1.05 | 2.16 | 0.17 | 0.29 | 0.34 |
| 18-5 | 1/2/2018 | 2.24 | 1.64 | 0.30 | 1.03 | 2.24 | 0.18 | 0.29 | 0.34 |
| 18-179 | 2/1/2018 | 1.71 | 1.64 | 0.30 | 1.04 | 2.25 | 0.18 | 0.29 | 0.34 |
| 18-290 | 3/1/2018 | 1.50 | 1.63 | 0.30 | 1.03 | 2.23 | 0.18 | 0.29 | 0.34 |
| 18-465 | 4/3/2018 | 1.69 | 1.64 | 0.30 | 1.04 | 2.24 | 0.18 | 0.29 | 0.34 |
| 18-653 | 5/8/2018 | 2.06 | 1.64 | 0.30 | 1.04 | 2,23 | 0.18 | 0.29 | 0.34 |
| 18-749 | 6/4/2018 | 1.59 | 1.65 | 0.29 | 1.07 | 2,23 | 0.18 | 0.29 | 0.34 |
| 18-993 | 7/11/2018 | 1:74 | 1.65 | 0.29 | 1.07 | 2.22 | 0.18 | 0.29 | 0.34 |
| 18-1099 | 8/1/2018 | 1.93 | 1.65 | 0.29 | 1.07 | 2.23 | 0.18 | 0.29 | 0.34 |

Work Order: 8G18004 Date: 8/10/2018 8:25:10AM

Results:

Sample: Semi Annual Whole Eff

8G18004-01 (Water)

General Chemistry

| | Result | Reporting | Units | Date |
|-------------------------------|--------|-----------|-------|----------|
| | | Limit | | Analyzed |
| Ammonia | 10.8 | 0.5 | mg/L | 07/24/18 |
| Kjeldahl Nitrogen | 8.6 | 5.0 | mg/L | 07/25/18 |
| Nitrate and Nitrite as N | 3.64 | 0.15 | mg/L | 07/19/18 |
| Total Dissolved Solids | 488 | 10 | mg/L | 07/20/18 |
| Total Organic Carbon | 23.0 | 1.0 | mg/L | 07/20/18 |
| Total Phosphorous | 0.65 | 0.02 | mg/L | 07/19/18 |
| Total solids (TS) | 612 | 10 | mg/L | 07/20/18 |
| Total Suspended Solids | 106 | 5 | mg/L | 07/19/18 |

Total Metals

| | Result | Reporting Limit | Units | Date Analyzed |
|----------------|--------|--------------------|-------|------------------|
| Calcium | 22.7 | 0.01 | mg/L | 07/20/18 |
| Magnesium | 4.90 | 0.01 | mg/L | 07/20/18 |
| Cadmium | 0.0001 | 0.0001 | mg/L | 07/20/18 |
| Lead | 0.014 | 0.0005 | mg/L | 07/20/18 |
| Aluminum | 1.02 | 0.012 | mg/L | 07/20/18 |
| Copper | 0.037 | 0.005 | mg/L | 07/20/18 |
| Nickel | 0.005 | 0.001 | mg/L | 07/20/18 |
| Zinc | 0.224 | 0.005 | mg/L | 07/20/18 |
| Total Hardness | 76.8 | 0.0312 | mg/L | 07/20/18 |

| NEW ENGLAND BIOASSAY CHAIN-OF-CUSTODY | |
|-----------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|
| SEMI ANNUAL "N | |
| EFFLUENT | RECEIVING WATER |
| Sampler: JIN BOK MIGOWAN Title: Chemist | Sampler: |
| Title: ChEMIST | Title: |
| Facility: Lowell Regional Wastewater Utilities | Facility: Lowell Regional Wastewater Utilities |
| Sampling Method: X Composite 92413 | Sampling Method: X Grab |
| Sample ID: | Sample ID: Merrimack River |
| Start Date: 7-17-29 Time: 3=00 PM | Date Collected: |
| Sample ID: | Time Collected: |
| Sampling Method: Grab (for pH and TRC only |) |
| Date Collected: | |
| Time Collected: | |
| Sample Type: Prechlorinated | |
| Sample Type: Prechlorinated X Dechlorinated | |
| Unchlorinated | |
| Chlorinated | |
| Effluent Sampling Location and Procedures: Plant outfall after dechlorination. 24 hr. composite? | |
| | |
| | |
| | |
| Receiving Water Sampling Location and Procedures: Merrimack River upstream of the plant discharge at the Hunts Fall Bridge, | |
| (Rt.38) | |
| | |
| Requested Analysis: X Chronic and modified acute | |
| requested Allalysis. A Chilome and modified acute | |
| Sample Shipment | |
| | |
| Method of Shipment: New England Testing Labs | 0 |
| Relinquished By: Date: | 7-18-18 Time: 5=05 Any |
| Received By: Date: | 7-18 Time: 903 |
| Relinquished By: Date: | 7-18 Time: 1410 |
| Received By: Date: | 7-16 Time: 1410 |
| Relinquished By: Date: | 7-18 Time: 1445 |
| Received By: Date: | 7/18/18 Time: 1445 |
| | |
| FOR NEB USE ONLY Received | |
| * Please return all ice packs NEB has provided to insure accurate temperature upon receipt to the NEB laboratory * | |
| Temperature of Effluent Upon Receipt at Lab: 3.6 °C Temperature of Receiving Water Upon Receipt at Lab: °C | |
| 000 000 | Receiving Water COC# |
| | TOOCITIES THE COOR |

IF THIS COOLER IS MISPLACED OR THE LABEL IS LOST, PLEASE SHIP TO: KIM WILLS, NEW ENGLAND BIOASSAY, 77 BATSON DRIVE, MANCHESTER CT 06042